

Safety Data Sheet For Compliance with OSHA 29 CFR 1910.1200 and ANSI Z400.1-1998

1. Product and Company Identification				
Product Name PolyColor Dye – UC Red				
Manufacturer's name	Horizons Incorporated			
Address 18531 South Miles Road Cleveland, Ohio 44128				
Emergency Telephone Number	(216) 475-0555			
Information Telephone Number	(216) 475-0555			

2. Hazards Identification					
GHS Classification					
H227	Flammable liquid – Category 4				
H303	Acute toxicity, Oral – Category 5				
H333	Acute toxicity, Inhalation – Category 5				
H313	Acute toxicity, Dermal – Category 5				
H318	Skin corrosion/irritation – Category 2				
H320	Serious eye damage/eye irritation – Category 2B				
GHS Label Elements					
Hazard Pictogram					
Signal Word	Warning				
Hazard Statements					
H227	Combustible liquid				
H303	May be harmful if swallowed				
H313	May be harmful in contact with skin				
H333	May be harmful if inhaled				
H315	Causes skin irritation				
H320	Causes eye irritation				
Precautionary Statements					
P210	Keep away from heat, hot surfaces, sparks, open flames, and other				
	ignition sources. No smoking				
P264	Wash thoroughly after handling				
P280	Wear protective gloves, protective clothing, and eye protection				
P302+P352	IF ON SKIN: wash with plenty of water				
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove				
contact lenses, if present and easy to do. Continue rinsing					
P332+P337+P313	If skin or eye irritation occurs or persists: Get medical advice/attention				
P312	312 Call a poison center/doctor if you feel unwell				
P362+P364	Take off contaminated clothing and wash before reuse				
P403	Store in a well-ventilated place				

3. Composition/Information on Ingredients		
Components/ Materials	CAS Number	%
Butyl Lactate	138-22-7	86
Solvent Red 119	Not available	12
Solvent Blue 70	Not available	2
Copper (as an integral part of the dye molecule)	7440-50-8	<0.1%

4. First Aid Measu	res
Inhalation	Promptly remove to fresh air. If breathing is stopped or irregular, administer artificial respiration. Get medical attention immediately.
Skin Contact	Wash affected area with soap & water after contact. Rinse immediately with plenty of water for at least 15 minutes Remove & wash contaminated clothing before reuse. If irritation develops, get medical attention.
Eye Contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation develops & persists.
Ingestion	Rinse mouth with water. DO NOT induce vomiting. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

5. Fire Fighting Measures			
Flammable Properties	Flash point – >156°F (69°C) TCC		
Flammable Limits			
Lower Flammable Limit	Not available		
Upper Flammable Limit	Not available		
Hazardous Combustion Products	Carbon monoxide, Carbon dioxide, nitrogen oxides.		
Unusual Fire/Explosion Hazards	Combustion products may be irritating to the skin, eyes, nose, and respiratory system.		
Extinguishing Media	Foam. Carbon Dioxide (CO ₂). Dry chemical. Water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
Special Firefighting Procedures	Wear self-contained breathing apparatus & protective clothing to prevent contact with skin and eyes. Cool containers with water spray. Fire or intense heat may cause violent rupture of packages.		

6. Accidental Release Measures			
Small Spill	Absorb spill with an inert material and place in a chemical waste container		
Large Spill	Remove all sources of ignition. Ventilate area. Contain spilled liquid with sand or earth. Absorb spill with an inert material and shovel into a chemical waste container. Prevent runoff from entering into sewers and ditches which lead into natural waterways.		
7 Handling and 9	Newson 2		

7. Handling and Storage				
Handling	Avoid contact with eyes and clothing. Keep container closed. Use only in a well ventilated area. Wash thoroughly after handling. Avoid prolonged or repeated breathing of mists and vapors. Avoid prolonged or repeated contact with skin.			
Storage	Store between 65-85°F. Keep containers sealed when not in use.			

Exposure Limits		onal Protection		
Chemical Name	CAS No.	OSHA	ACGIH	NIOSH
Butyl Lactate	138-22-7	25 mg/m3 TWA	5 ppm TWA	5 ppm IDLH
Solvent Blue 70		ND	ND	ND
Solvent Red 119		ND	ND	ND
				ND – Not Determine
Engineering Controls		Control airborne concentrations below the exposure limits. Use only with adequate ventilation. Local exhaust ventilation may be necessary Keep containers covered whenever possible.		
Respiratory Protection		When respiratory protection is required, use a NIOSH approved air- purifying respirator equipped with an organic vapor canister. For emergency and other conditions where exposure limits may be greatly exceeded, use an approved positive-pressure, self-contained breathing apparatus or positive-pressure air line with auxiliary self-contained air supply.		
Skin Protection		Wear protective gloves and clothing. Use solvent-resistant apron & boots, if needed.		
Eye Protection Use safety glasses with side shields or, preferably, chemical go		erably chemical googles		

9. Physical and Chemical Properties				
Boiling Point	367°F (186°C)			
Specific Gravity	1.01			
% Volatiles	86%			
Solubility in Water	Slightly soluble (3.4ml/100ml)			
pH	No information available			
Odor	Mild, characteristic odor			
Form	Liquid			
Color	Red			
VOC	7.24 lbs/gal coating			

10 Stability and Reactivity

To. Otability and Reactivity	
Chemical Stability	Stable under normal storage conditions
Conditions to Avoid	Keep product away from heat, sparks, static electricity, and open flame.
Incompatibility	Strong bases. Strong oxidizing agents.
Hazardous Decomposition Products	Burning can produce carbon monoxide, carbon dioxide, & nitrogen
	oxides when heated to decomposition.
Hazardous Polymerization	Will not occur

11. Toxicological Information

Results of component toxicity test performed:			
Data for Butyl Lactate	Acute Toxicity Data: Oral rat LD50: >5000 mg/kg;		
(CAS 138-22-7) Subcutaneous rat LD50: 12000 mg/kg;			
	Skin rabbit LD50: >5000 mg/kg;		
	Draize test, rabbit, skin: 500 mg/24H Moderate		
	Inhalation, rat LC50:>5140 mg/kg		
Data for Solvent Blue 70	Acute Toxicity Data: Oral rat LD50: >5000 mg/kg;		
Data for Solvent Red 119	Acute Toxicity Data: Oral rat LD50: >10000 mg/kg.		

12. Ecological Information

The following properties are ESTIMATED from		preparations.	
Potential Toxicity:	· · ·	•	
Toxicity to Danio rerio (LC50): Toxicity to Daphnia magna (EC50):	75 mg/L /96 Hr 320 mg/L /48Hr		
Persistence and degradability	·	ND	
Chemical Oxygen Demand (COD)		1.97lb O ₂ /lb	
Biochemical Oxygen Demand (BOD)		ND	
Chemical Fate Information		ND	

13. Disposal Considerations Liquid material should be disposed as flammable waste. Note that Federal, State and local laws governing disposal of materials can differ. Ensure proper disposal compliance with proper authorities before disposal. Contact a licensed professional waste disposal service to dispose of large quantities of this material

14. Transport Information

Proper Shipping Name	Combustible Liquid, N.O.S.
UN No.	NA1993
IATA Class	Not Regulated
Packing Group	

15. Regulatory Informat	tion
U.S. Federal Regulations	
TSCA Section 8 (b) Inventory	All components are listed on the TSCA Chemical Inventory
OSHA	Hazardous by definition of Hazard Communications Standard (29CFR1910.1200)
SARA Hazard Category	
SARA 302 Components	No listed components
SARA 313 Components	No listed components
SARA 311/312 Hazards	Acute Health Hazard, Chronic Health Hazard, Fire Hazard

State Regulations	
Massachusetts Right To Know	Butyl Lactate
Components	
Pennsylvania Right To Know Components	Butyl Lactate
New Jersey Right To Know Components	Butyl Lactate
California Proposition 65 Components	This product does not contain any chemical known to the State of
	California to cause cancer or reproductive harm.

16. Other Information

IMIS
1-2
-2
R – 0
PE – B

The information in this material safety data sheet should be provided to all who will use, handle, store, transport, or otherwise be exposed to this product. This information has been prepared for the guidance of plant engineering, operations & management, and for persons working with or handling this product. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions but does not purport to be all inclusive. Horizons Incorporated shall not be held liable for any damage resulting from handling or from contact with the above product.